	Application No.	Applicant(s)
Notice of Allowability	09/783,236	GREENBERG ET AL.
	Examiner	Art Unit
	George R. Evanisko	3762
	. George R. Evanisko	3/62
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the amdt filed 8/1/07.		
2. The allowed claim(s) is/are <u>1-4,29,30,35,36,38-40,50,66-71 and 73</u> .		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
•		
Attachment(s) 1. Notice of References Cited (PTO-892)	5. Notice of Informal I	Patent Application
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☑ Interview Summary	• •
3. Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Da 7. ⊠ Examiner's Amend	ate ment/Comment
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🗌 Examiner's Statem	ent of Reasons for Allowance
of Biological Material	9.	
•		

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Tomas Lendvai on 10/11/07.

The application has been amended as follows:

Claim 1 has been rewritten as follows

--1. An electrode array body comprising:

a flexible body having a curved shape adapted to conform to the spherical curvature of the retina of a recipient's eye,

wherein the flexible body includes an array of electrodes, a mounting aperture, an area surrounding the mounting aperture and reinforced relative to said flexible body, and a strain relief slot adjacent to said reinforcing area,

wherein the mounting aperture is suitable for attaching the electrode array body to the retina.--

In claim 2, line 2, "location" has been deleted and --aperture-- has been inserted.

In claim 66, line 2, "location" has been deleted and --aperture-- has been inserted.

In claim 67, line 2, "location" has been deleted and --aperture-- has been inserted.

In claim 68, line 2, "location" has been deleted and --aperture-- has been inserted.

Application/Control Number: 09/783,236 Page 3

Art Unit: 3762

In claim 69, line 2, "location" has been deleted and --aperture-- has been inserted.

Claims 72 and 74 have been canceled.

In claim 73, line 1, "location" has been deleted and --aperture-- has been inserted.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to George R. Evanisko whose telephone number is 571 272 4945. The examiner can normally be reached on M-F 6:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Angela Sykes can be reached on 571 272 4955. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

George R Evanisko Primary Examiner Art Unit 3762

GRE 10/12/07